

SAGA®



Reg. No. / Nr L10877 Act No. 36 of 1947 / Wet Nr 36 van 1947

READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

SAGA® is an attract-and-kill paste for the control of *Anoplolepis custodiens* (pugnacious ant) and *Pheidole megacephala* (brown house ant) species in citrus orchards.

SAGA® is 'n lok-en-doodmaak smeer vir die beheer van *Anoplolepis custodiens* (malmier) en *Pheidole megacephala* (bruinhuismier) spesies in sitrus boorde.

Active Ingredient(s) / Aktiewe Bestandeel(e)
Hydramethylnon 9 g / kg

Net mass/volume 0.3kg Netto massa/volume



REGISTRATION HOLDER / REGISTRASIEHOUER

RIVER BIOSCIENCE (PTY) LTD | REG NO. 2003/022759/07 REG NR
PO BOX 20388, Humewood, 6013 | T: +27 41 373 1409
E: admin@riverbio.com | W: www.riverbioscience.co.za

Batch No.:

:Lot Nr.

Date of Manufacture:

:Datum van Vervaardiging



Expiry Date:

:Vervaldatum



Shelf Life:

2 years from date of manufacture

:Raklewe

2026.01.30 v3

WARNINGS

- Read the label before use.
 - Keep out of reach of children and animals.
- Use within two months of opening container and close container tightly after use.
 - Store in a cool dry place, away from food and feedstuffs.

DISCLAIMER

ALTHOUGH THIS REMEDY HAS BEEN EXTENSIVELY TESTED UNDER A LARGE VARIETY OF CONDITIONS, THE REGISTRATION HOLDER DOES NOT WARRANT THAT IT WILL BE EFFECTIVE UNDER ALL CONDITIONS, AS THE ACTION AND EFFECT THEREOF MIGHT BE AFFECTED BY FACTORS SUCH AS ABNORMAL CLIMATIC AND STORAGE CONDITIONS, COMPATIBILITY WITH OTHER SUBSTANCES NOT INDICATED ON THE LABEL AND THE OCCURRENCE OF RESISTANCE OF THE PEST AGAINST THE REMEDY CONCERNED AS WELL AS THE METHOD, TIME AND ACCURACY OF APPLICATION. FURTHERMORE, THE REGISTRATION HOLDER DOES NOT ACCEPT RESPONSIBILITY FOR DAMAGE TO CROPS, VEGETATION, THE ENVIRONMENT NOR HARM TO MAN OR ANIMAL. NEITHER DOES THE REGISTRATION HOLDER ACCEPT RESPONSIBILITY FOR LACK OF PERFORMANCE OF THE REMEDY CONCERNED, DUE TO FAILURE OF THE USER TO FOLLOW THE LABEL INSTRUCTIONS, NOR TO THE OCCURRENCE OF CONDITIONS WHICH COULD NOT HAVE BEEN FORESEEN IN TERMS OF THE REGISTRATION. CONSULT THE SUPPLIER IN THE EVENT OF ANY UNCERTAINTY.

PRECAUTIONS

- Do not apply product to the fruit.
- Wear gloves while handling.
- Do not eat, drink or smoke whilst mixing or applying, nor before washing hands and face.
- Do not contaminate rivers and dams when cleaning equipment or disposing of waste.
- Prevent contamination of food, feeds and drinking water.
- In case of spillage, scrub the area with 1-5% bleach solution.
- Destroy empty container and do not use for any other purpose.

FIRST AID

- Wash with soap and water after accidental skin contact.
- Rinse contaminated eyes with clean water for 15 minutes.

DIRECTIONS FOR USE - Use only as directed

APPLICATION INSTRUCTIONS

Apply when ants are active, like early morning or late afternoon. Do not apply **SAGA**® 48 hours before or after rain. Apply when ants become active in spring or if their numbers increase during any other time of the season. Apply **SAGA**® in the bottom crotch of every second tree, approximately 40 – 60 cm from the base of the tree. Product is not to be applied to the fruit, but to the crotch of the tree where the natural ant pathway would intersect it. Reduction in ant activity should be noted within 4 weeks after application. Avoid placing **SAGA**® in areas of the tree that are exposed to high levels of ultraviolet radiation. Do not place on the ground where non-target species may be affected and where irrigation will dissolve the product.

RECOMMENDATIONS

PEST	CROP	DOSAGE	REMARKS
<i>Anoplolepis custodiens</i> (pugnacious ant) <i>Pheidole megacephala</i> (brown house ant)	Citrus	Apply only 10 g per tree on every 2 nd tree or Apply a minimum of 2.5 to a maximum of 3 kg per hectare.	Apply when ants become active in spring or if their numbers increase during any other time of the season. Apply SAGA [®] in the bottom crotch of every 2 nd tree. Approximately 40 – 60 cm from the base of the tree.